

The Sofia skirt

Free pattern and Tutorial



ON THE CUTTING FLOOR

[WEBSITE](#)

[FACEBOOK](#)

[PINTEREST](#)

[TWITTER](#)

[EMAIL](#)



Pam Dress  
Free Pattern and Tutorial



The Beach Dress  
Free pattern and tutorial



Tricia Dress  
Free pattern and Tutorial

# SOFIA SKIRT

## PATTERN AND TUTORIAL

Thanks for downloading this pattern and tutorial.

This design belongs to On the Cutting Floor website. For more resources, tips and sewing tutorials, please visit us at

## ABOUT THE PATTERN

The popular Sofia skirt for girls now on women's size. This pattern has two variations: one regular Sofia skirt and one with a bottom strap.


This printable PDF pattern is assembled **WITHOUT OVERLAPPING THE PAGES**. In this way, you will avoid confusion with the patterns sizing and final fitting.

They are on letter size paper. To print this pattern, go the PDF document.


Select [FILE -- PRINT](#).

It will print 15 pages. Wait until all the pages are printed before taking them from the printer; it will make it easier to assemble. When finished printing, place the pages as the layout below.

**Regular skirt:**



## Skirt with strap:



Sometimes, there are problems with the printing process and the patterns come in the wrong size (a little bit smaller). To avoid this, check the 1 inch square at the top left of the first page. It will help you to see if the patterns are the correct size.

The PDF pattern comes in sizes 4 to 22; it is color-coded and easy to cut.

The colors for each size are:

4: black

6: red

- 8: green
- 10: blue
- 12: orange
- 14: purple
- 16: yellow
- 18: pink
- 20: light green
- 22: brown

This pattern comes with a 5/8 inch seam allowance, unless indicated otherwise.

### Materials:

1. Printed pattern
2. Fabric
3. Matching thread
4. 4 inches long zipper
5. Light weight interfacing
6. Pins
7. Measuring tape or ruler
8. Scissors

### Fabric:

Light and medium weight fabrics such as cotton and linen.

### Yardage Calculation:

I recommend using the patterns pieces to know the amount of fabric you will use.

## INSTRUCTIONS


1. PLACE FRONT AND BACK OF SKIRT TOGETHER, RIGHT SIDES FACING. PIN AND SEW ALONG THE SIDES.



2. YOKE: PLACE THE FRONT YOKE AND THE BACK YOKE TOGETHER, RIGHT SIDES FACING. PIN AND SEW ALONG THE SIDES.



3. PLACE THE INTERFACING AT THE TOP. IRON IT TO THE FABRIC.



4. PLACE THE ZIPPER ON THE BACK OF THE SKIRT OPENING. FOR A FULL INSTRUCTIONS ON HOW TO PUT A

ZIPPER, PLEASE VISIT OUR WEBSITE  
[WWW.ONTHECUTTINGFLOOR.COM](http://WWW.ONTHECUTTINGFLOOR.COM)



5. PLACE THE YOKE AND YOKE FACING TOGETHER  
, RIGHT SIDES FACING. PIN AND SEW ALONG THE TOP.



6. REMEMBER TO FOLD THE YOKE FACING INSIDE BY 5/8 INCHES, FOLLOWING THE ZIPPER ALIGNMENT.



7. GATHER THE SKIRT AND ADJUST TO THE YOKE MEASUREMENT. PLACE THEM TOGETHER, RIGHT SIDES FACING. PIN AND SEW ALONG.



REMEMBER TO ALIGN THE SEAMS OF THE SKIRTS



8. FOLD THE YOKE OVER TO THE INSIDE OF THE SKIRT AND FOLD THE SEAMS INSIDE.



9. FINISH YOUR SKIRT BY MAKING THE HEMLINE: FOR THE REGULAR SKIRT DOUBLE FOLD THE HEMLINE BY ½ INCH. SEW ALONG AND IRON FLAT. FOR THE SKIRT WITH THE STRAP: ADD THE STRAP TO THE BOTTOM AND MAKE THE HEMLINE ACCORDINGLY.

